

## **QUERY action 1 – to add a viewed user to my list of user IDs**

---

```
UPDATE `#__comprofiler` SET `cb_requested_by_currently` = CONCAT(cb_requested_by_currently, "[cb:userdata field="Id" user="#me" /],") WHERE `id` = [user_id];
```

```
UPDATE `#__comprofiler` SET `cb_my_current_requests` = CONCAT(cb_my_current_requests, "[user_id],") WHERE `id` = [cb:userdata field="Id" user="#me" /];
```

```
UPDATE `#__comprofiler` SET `cb_requests_count` = (LENGTH(cb_my_current_requests)-LENGTH(REPLACE(cb_my_current_requests, ",", ""))-1) WHERE `id` = [cb:userdata field="Id" user="#me" /];
```

## **Query action 2 – to remove the person from the list**

```
UPDATE `#__comprofiler` SET `cb_requested_by_currently` = REPLACE(cb_requested_by_currently, "[cb:userdata field="Id" user="#me" /],",",") WHERE `id` = [user_id];
```

```
UPDATE `#__comprofiler` SET `cb_my_current_requests` = REPLACE(cb_my_current_requests, "[user_id],",",") WHERE `id` = [cb:userdata field="Id" user="#me" /];
```

```
UPDATE `#__comprofiler` SET `cb_requests_count` = (LENGTH(cb_my_current_requests)-LENGTH(REPLACE(cb_my_current_requests, ",", ""))-1) WHERE `id` = [cb:userdata field="Id" user="#me" /];
```