

All CB plugin "Default language (English)" database is up to date.

All CB plugin "Default" database is up to date.

All CB plugin "Private Message System" database is up to date.

[Click here to show details](#) ▼

All CB plugin "CBSubs Email" database is up to date.

All CB plugin "CB Menu" database is up to date.

All CB plugin "CBSubs URL" database is up to date.

All CB plugin "CB Core" database is up to date.

All CB plugin "CBSubs CB Field" database is up to date.

All CB plugin "CB Articles" database is up to date.

All CB plugin "CBSubs AcyMailing" database is up to date.

All CB plugin "CB Connections" database is up to date.

All CB plugin "CBSubs SQL actions" database is up to date.

All CB plugin "CB Forums" database is up to date.

CB plugin "CBSubs Promotion" database structure differences:

Table #__cbsubs_promotions Column name NULL attribute is YES instead of NO

Table #__cbsubs_promotions Column promotion_type NULL attribute is YES instead of NO

Table #__cbsubs_promotions Column coupon_code NULL attribute is YES instead of NO

Table #__cbsubs_promotions Column discount_type NULL attribute is YES instead of NO

Table #__cbsubs_promotions Column currency NULL attribute is YES instead of NO

Table #__cbsubs_promotions Column stages NULL attribute is YES instead of NO

Table #__cbsubs_promotions Column applies_to_business_consumer NULL attribute is YES instead of NO

Table #__cbsubs_promotions Column plans_applied_to NULL attribute is YES instead of NO

Table #__cbsubs_promotions Column plans_sametime_required NULL attribute is YES instead of NO

Table #__cbsubs_promotions Column cal_perioddismissed NULL attribute is YES instead of NO

Table #__cbsubs_promotions Column cal_maxdperiodsdismissed NULL attribute is YES instead of NO

Table #__cbsubs_promotions Column cond_1_operator NULL attribute is YES instead of NO

Table #__cbsubs_promotions Column cond_1_plans_required NULL attribute is YES instead of NO

Table #__cbsubs_promotions Column cond_1_plans_status NULL attribute is YES instead of NO

Table #__cbsubs_promotions Column cond_1_basket_currencies NULL attribute is YES instead of NO

Table #__cbsubs_promotions Column cond_1_basket_gatewayaccounts NULL attribute is YES instead of NO

Table #__cbsubs_promotions Column cond_1_basket_payment_methods NULL attribute is YES instead of NO

Table #__cbsubs_promotions Column cond_1_basket_payment_types NULL attribute is YES instead of NO

Table #__cbsubs_promotions Column cond_1_basket_address_country_codes NULL attribute is YES instead of NO

Table #__cbsubs_promotions Column cond_1_date_1 NULL attribute is YES instead of NO

Table #__cbsubs_promotions Column cond_1_value_1 NULL attribute is YES instead of NO

Table #__cbsubs_promotions Column cond_1_dates_diff_a NULL attribute is YES instead of NO

Table #__cbsubs_promotions Column cond_1_dates_diff_b NULL attribute is YES instead of NO

Table #__cbsubs_promotions Column cond_1_date_2 NULL attribute is YES instead of NO

Table #__cbsubs_promotions Column cond_1_value_2 NULL attribute is YES instead of NO

Table #__cbsubs_promotions Column cond_2_operator NULL attribute is YES instead of NO

Table #__cbsubs_promotions Column cond_2_plans_required NULL attribute is YES instead of NO

Table #__cbsubs_promotions Column cond_2_plans_status NULL attribute is YES instead of NO

Table #__cbsubs_promotions Column cond_2_basket_currencies NULL attribute is YES instead of NO

Table #__cbsubs_promotions Column cond_2_basket_gatewayaccounts NULL attribute is YES instead of NO

Table #__cbsubs_promotions Column cond_2_basket_payment_methods NULL attribute is YES instead of NO

Table #__cbsubs_promotions Column cond_2_basket_payment_types NULL attribute is YES instead of NO

Table #__cbsubs_promotions Column cond_2_basket_address_country_codes NULL attribute is YES instead of NO

Table #__cbsubs_promotions Column cond_2_date_1 NULL attribute is YES instead of NO

Table #__cbsubs_promotions Column cond_2_value_1 NULL attribute is YES instead of NO

Table #__cbsubs_promotions Column cond_2_dates_diff_a NULL attribute is YES instead of NO

Table #__cbsubs_promotions Column cond_2_dates_diff_b NULL attribute is YES instead of NO

Table #__cbsubs_promotions Column cond_2_date_2 NULL attribute is YES instead of NO

Table #__cbsubs_promotions Column cond_2_value_2 NULL attribute is YES instead of NO

Table #__cbsubs_promotions Column usergroups NULL attribute is YES instead of NO
Table #__cbsubs_promotions Column user_ids NULL attribute is YES instead of NO
Table #__cbsubs_promotions Column cssclass NULL attribute is YES instead of NO
Table #__cbsubs_promotions Column plan_name_display_text NULL attribute is YES instead of NO
Table #__cbsubs_promotions Column plan_description_display_text NULL attribute is YES instead of NO
Table #__cbsubs_promotions Column plan_price_display_saletext NULL attribute is YES instead of NO
Table #__cbsubs_promotions Column plan_price_display_text NULL attribute is YES instead of NO
Table #__cbsubs_promotions Column params NULL attribute is YES instead of NO
Table #__cbsubs_promotions Column integrations NULL attribute is YES instead of NO
Table #__cbsubs_promotions Column name Collation is utf8mb4_0900_ai_ci instead of utf8mb4_unicode_ci
Table #__cbsubs_promotions_uses Column state NULL attribute is YES instead of NO
Table #__cbsubs_promotions_uses Column coupon_code NULL attribute is YES instead of NO
Table #__cbsubs_promotions_uses Column currency NULL attribute is YES instead of NO
Table #__cbsubs_promotions_uses Column referrer NULL attribute is YES instead of NO
Table #__cbsubs_promotions_uses Column integrations NULL attribute is YES instead of NO
Table #__cbsubs_promotions_uses Column state Collation is utf8mb4_0900_ai_ci instead of utf8mb4_unicode_ci

The CB plugin "CBSubs Promotion" database structure differences can be fixed (adjusted) by clicking here: [Click here to fix \(adjust\) all CB plugin "CBSubs Promotion" database differences listed above](#) (you can also [Click here to preview fixing \(adjusting\) queries in a dry-run](#)), but **in all cases you need to backup database first** as this adjustment is changing the database structure to match the needed structure for the installed version.
[Click here to show details](#) ▼

All CB plugin "CB Blogs" database is up to date.
[Click here to show details](#) ▼

All CB plugin "CBSubs Content" database is up to date.

CB plugin "CBSubs Mailer" database structure differences:

Table #__cbsubs_mailer_automessages Column name NULL attribute is YES instead of NO
Table #__cbsubs_mailer_automessages Column mail_type NULL attribute is YES instead of NO
Table #__cbsubs_mailer_automessages Column emailsubject NULL attribute is YES instead of NO
Table #__cbsubs_mailer_automessages Column emailbody NULL attribute is YES instead of NO
Table #__cbsubs_mailer_automessages Column emailcc NULL attribute is YES instead of NO
Table #__cbsubs_mailer_automessages Column emailbcc NULL attribute is YES instead of NO
Table #__cbsubs_mailer_automessages Column emailfromname NULL attribute is YES instead of NO
Table #__cbsubs_mailer_automessages Column emailfromemail NULL attribute is YES instead of NO
Table #__cbsubs_mailer_automessages Column emailattachments NULL attribute is YES instead of NO
Table #__cbsubs_mailer_automessages Column trigger_date_diff_a NULL attribute is YES instead of NO
Table #__cbsubs_mailer_automessages Column trigger_date_diff_b NULL attribute is YES instead of NO
Table #__cbsubs_mailer_automessages Column trigger_date_reference NULL attribute is YES instead of NO
Table #__cbsubs_mailer_automessages Column plans_applied_to NULL attribute is YES instead of NO
Table #__cbsubs_mailer_automessages Column plans_status NULL attribute is YES instead of NO
Table #__cbsubs_mailer_automessages Column max_uses_per_customer_interval NULL attribute is YES instead of NO
Table #__cbsubs_mailer_automessages Column applies_to_business_consumer NULL attribute is YES instead of NO
Table #__cbsubs_mailer_automessages Column cond_1_operator NULL attribute is YES instead of NO
Table #__cbsubs_mailer_automessages Column cond_1_plans_required NULL attribute is YES instead of NO
Table #__cbsubs_mailer_automessages Column cond_1_plans_status NULL attribute is YES instead of NO
Table #__cbsubs_mailer_automessages Column cond_1_basket_currencies NULL attribute is YES instead of NO
Table #__cbsubs_mailer_automessages Column cond_1_basket_gatewayaccounts NULL attribute is YES instead of NO
Table #__cbsubs_mailer_automessages Column cond_1_basket_payment_methods NULL attribute is YES instead of NO
Table #__cbsubs_mailer_automessages Column cond_1_basket_payment_types NULL attribute is YES instead of NO
Table #__cbsubs_mailer_automessages Column cond_1_basket_address_country_codes NULL attribute is YES instead of NO
Table #__cbsubs_mailer_automessages Column cond_1_date_1 NULL attribute is YES instead of NO
Table #__cbsubs_mailer_automessages Column cond_1_value_1 NULL attribute is YES instead of NO
Table #__cbsubs_mailer_automessages Column cond_1_dates_diff_a NULL attribute is YES instead of NO
Table #__cbsubs_mailer_automessages Column cond_1_dates_diff_b NULL attribute is YES instead of NO
Table #__cbsubs_mailer_automessages Column cond_1_date_2 NULL attribute is YES instead of NO
Table #__cbsubs_mailer_automessages Column cond_1_value_2 NULL attribute is YES instead of NO
Table #__cbsubs_mailer_automessages Column cond_2_operator NULL attribute is YES instead of NO

Table #__cbsubs_mailer_automessages Column cond_2_plans_required NULL attribute is YES instead of NO
Table #__cbsubs_mailer_automessages Column cond_2_plans_status NULL attribute is YES instead of NO
Table #__cbsubs_mailer_automessages Column cond_2_basket_currencies NULL attribute is YES instead of NO
Table #__cbsubs_mailer_automessages Column cond_2_basket_gatewayaccounts NULL attribute is YES instead of NO
Table #__cbsubs_mailer_automessages Column cond_2_basket_payment_methods NULL attribute is YES instead of NO
Table #__cbsubs_mailer_automessages Column cond_2_basket_payment_types NULL attribute is YES instead of NO
Table #__cbsubs_mailer_automessages Column cond_2_basket_address_country_codes NULL attribute is YES instead of NO
Table #__cbsubs_mailer_automessages Column cond_2_date_1 NULL attribute is YES instead of NO
Table #__cbsubs_mailer_automessages Column cond_2_value_1 NULL attribute is YES instead of NO
Table #__cbsubs_mailer_automessages Column cond_2_dates_diff_a NULL attribute is YES instead of NO
Table #__cbsubs_mailer_automessages Column cond_2_dates_diff_b NULL attribute is YES instead of NO
Table #__cbsubs_mailer_automessages Column cond_2_date_2 NULL attribute is YES instead of NO
Table #__cbsubs_mailer_automessages Column cond_2_value_2 NULL attribute is YES instead of NO
Table #__cbsubs_mailer_automessages Column usergroups NULL attribute is YES instead of NO
Table #__cbsubs_mailer_automessages Column user_ids NULL attribute is YES instead of NO
Table #__cbsubs_mailer_automessages Column params NULL attribute is YES instead of NO
Table #__cbsubs_mailer_automessages Column integrations NULL attribute is YES instead of NO
Table #__cbsubs_mailer_automessages Column name Collation is utf8mb4_0900_ai_ci instead of utf8mb4_unicode_ci
Table #__cbsubs_mailer_mailqueue Column state NULL attribute is YES instead of NO
Table #__cbsubs_mailer_mailqueue Column trigger_date_reference NULL attribute is YES instead of NO
Table #__cbsubs_mailer_mailqueue Column trigger_date_used NULL attribute is YES instead of NO
Table #__cbsubs_mailer_mailqueue Column mail_type NULL attribute is YES instead of NO
Table #__cbsubs_mailer_mailqueue Column emailtoname NULL attribute is YES instead of NO
Table #__cbsubs_mailer_mailqueue Column emailtoemail NULL attribute is YES instead of NO
Table #__cbsubs_mailer_mailqueue Column emailssubject NULL attribute is YES instead of NO
Table #__cbsubs_mailer_mailqueue Column emailbody NULL attribute is YES instead of NO
Table #__cbsubs_mailer_mailqueue Column emailcc NULL attribute is YES instead of NO
Table #__cbsubs_mailer_mailqueue Column emailbcc NULL attribute is YES instead of NO
Table #__cbsubs_mailer_mailqueue Column emailfromname NULL attribute is YES instead of NO
Table #__cbsubs_mailer_mailqueue Column emailfromemail NULL attribute is YES instead of NO
Table #__cbsubs_mailer_mailqueue Column emailattachments NULL attribute is YES instead of NO
Table #__cbsubs_mailer_mailqueue Column integrations NULL attribute is YES instead of NO
Table #__cbsubs_mailer_mailqueue Column state Collation is utf8mb4_0900_ai_ci instead of utf8mb4_unicode_ci
Table #__cbsubs_mailer_sentmails Column state NULL attribute is YES instead of NO
Table #__cbsubs_mailer_sentmails Column trigger_date_reference NULL attribute is YES instead of NO
Table #__cbsubs_mailer_sentmails Column trigger_date_used NULL attribute is YES instead of NO
Table #__cbsubs_mailer_sentmails Column mail_type NULL attribute is YES instead of NO
Table #__cbsubs_mailer_sentmails Column emailtoname NULL attribute is YES instead of NO
Table #__cbsubs_mailer_sentmails Column emailtoemail NULL attribute is YES instead of NO
Table #__cbsubs_mailer_sentmails Column emailssubject NULL attribute is YES instead of NO
Table #__cbsubs_mailer_sentmails Column emailcc NULL attribute is YES instead of NO
Table #__cbsubs_mailer_sentmails Column emailbcc NULL attribute is YES instead of NO
Table #__cbsubs_mailer_sentmails Column emailfromname NULL attribute is YES instead of NO
Table #__cbsubs_mailer_sentmails Column emailfromemail NULL attribute is YES instead of NO
Table #__cbsubs_mailer_sentmails Column emailattachments NULL attribute is YES instead of NO
Table #__cbsubs_mailer_sentmails Column integrations NULL attribute is YES instead of NO
Table #__cbsubs_mailer_sentmails Column state Collation is utf8mb4_0900_ai_ci instead of utf8mb4_unicode_ci

The CB plugin "CBSubs Mailer" database structure differences can be fixed (adjusted) by clicking here: [Click here to fix \(adjust\) all CB plugin "CBSubs Mailer" database differences listed above](#) (you can also [Click here to preview fixing \(adjusting\) queries in a dry-run](#)), but **in all cases you need to backup database first** as this adjustment is changing the database structure to match the needed structure for the installed version.

[Click here to show details](#) ▼

All CB plugin "CBSubs Fields Tabs Protect" database is up to date.

CB plugin "CBSubs Tax" database structure differences:

Table #__cbsubs_tax_rules Column name NULL attribute is YES instead of NO
Table #__cbsubs_tax_rules Column short_code NULL attribute is YES instead of NO

Table #__cbsubs_tax_rules Column short_code NULL attribute is YES instead of NO
Table #__cbsubs_tax_rules Column name Collation is utf8mb4_0900_ai_ci instead of utf8mb4_unicode_ci
Table #__cbsubs_tax_rates Column description NULL attribute is YES instead of NO
Table #__cbsubs_tax_rates Column tax_kind NULL attribute is YES instead of NO
Table #__cbsubs_tax_rates Column tax_currency NULL attribute is YES instead of NO
Table #__cbsubs_tax_rates Column tax_stages NULL attribute is YES instead of NO
Table #__cbsubs_tax_rates Column business_check NULL attribute is YES instead of NO
Table #__cbsubs_tax_rates Column seller_taxnumber NULL attribute is YES instead of NO
Table #__cbsubs_tax_rates Column params NULL attribute is YES instead of NO
Table #__cbsubs_tax_rates Column description Collation is utf8mb4_0900_ai_ci instead of utf8mb4_unicode_ci
Table #__cbsubs_geo_zones Column name NULL attribute is YES instead of NO
Table #__cbsubs_geo_zones Column description NULL attribute is YES instead of NO
Table #__cbsubs_geo_zones Column name Collation is utf8mb4_0900_ai_ci instead of utf8mb4_unicode_ci
Table #__cbsubs_geo_zones_entries Column country_iso_code2 NULL attribute is YES instead of NO
Table #__cbsubs_geo_zones_entries Column province_iso_code NULL attribute is YES instead of NO
Table #__cbsubs_geo_zones_entries Column country_iso_code2 Collation is utf8mb4_0900_ai_ci instead of utf8mb4_unicode_ci
Table #__comprofiler_countries Column country_iso_code2 DEFAULT is NULL instead of
Table #__comprofiler_countries Column country_iso_code3 NULL attribute is YES instead of NO
Table #__comprofiler_countries Column country_name NULL attribute is YES instead of NO
Table #__comprofiler_countries Column country_region NULL attribute is YES instead of NO
Table #__comprofiler_countries Column country_sub_region NULL attribute is YES instead of NO
Table #__comprofiler_countries Column country_fips_code NULL attribute is YES instead of NO
Table #__comprofiler_countries Column country_fips_name NULL attribute is YES instead of NO
Table #__comprofiler_countries Column country_alternate_names NULL attribute is YES instead of NO
Table #__comprofiler_countries Column country_provinces_title NULL attribute is YES instead of NO
Table #__comprofiler_countries Column country_taxnumber_prefix NULL attribute is YES instead of NO
Table #__comprofiler_countries Column country_address_zip_prefix NULL attribute is YES instead of NO
Table #__comprofiler_countries Column country_address_format NULL attribute is YES instead of NO
Table #__comprofiler_countries Column country_iso_code2 Collation is utf8mb4_0900_ai_ci instead of utf8mb4_unicode_ci
Table #__comprofiler_provinces Column province_iso_code DEFAULT is NULL instead of
Table #__comprofiler_provinces Column country_iso_code2 NULL attribute is YES instead of NO
Table #__comprofiler_provinces Column province_name NULL attribute is YES instead of NO
Table #__comprofiler_provinces Column province_latin_name NULL attribute is YES instead of NO
Table #__comprofiler_provinces Column province_alternate_names NULL attribute is YES instead of NO
Table #__comprofiler_provinces Column province_title NULL attribute is YES instead of NO
Table #__comprofiler_provinces Column province_iso_code Collation is utf8mb4_0900_ai_ci instead of utf8mb4_unicode_ci

The CB plugin "CBSubs_Tax" database structure differences can be fixed (adjusted) by clicking here: [Click here to fix \(adjust\) all CB plugin "CBSubs Tax" database differences listed above](#) (you can also [Click here to preview fixing \(adjusting\) queries in a dry-run](#)), but **in all cases you need to backup database first** as this adjustment is changing the database structure to match the needed structure for the installed version.

[Click here to show details](#) ▼

CB plugin "CB AntiSpam" database structure differences:

Table #__comprofiler_plugin_antispam_block Column type NULL attribute is YES instead of NO
Table #__comprofiler_plugin_antispam_block Column value NULL attribute is YES instead of NO
Table #__comprofiler_plugin_antispam_block Column type Collation is utf8mb4_0900_ai_ci instead of utf8mb4_unicode_ci
Table #__comprofiler_plugin_antispam_whitelist Column type NULL attribute is YES instead of NO
Table #__comprofiler_plugin_antispam_whitelist Column value NULL attribute is YES instead of NO
Table #__comprofiler_plugin_antispam_whitelist Column type Collation is utf8mb4_0900_ai_ci instead of utf8mb4_unicode_ci
Table #__comprofiler_plugin_antispam_attempts Column ip_address NULL attribute is YES instead of NO
Table #__comprofiler_plugin_antispam_attempts Column ip_address Collation is utf8mb4_0900_ai_ci instead of utf8mb4_unicode_ci
Table #__comprofiler_plugin_antispam_log Column ip_address NULL attribute is YES instead of NO
Table #__comprofiler_plugin_antispam_log Column ip_address Collation is utf8mb4_0900_ai_ci instead of utf8mb4_unicode_ci
Table #__comprofiler_plugin_antispam_abuse Column type NULL attribute is YES instead of NO
Table #__comprofiler_plugin_antispam_abuse Column ip_address NULL attribute is YES instead of NO
Table #__comprofiler_plugin_antispam_abuse Column type Collation is utf8mb4_0900_ai_ci instead of utf8mb4_unicode_ci

The CB plugin "CB AntiSpam" database structure differences can be fixed (adjusted) by clicking here: [Click here to fix \(adjust\) all CB plugin "CB AntiSpam" database differences listed above](#) (you can also [Click here to preview fixing \(adjusting\) queries in a dry-run](#)), but **in all cases you need to backup database first** as this adjustment is changing the database structure to match the needed structure for the installed version.
[Click here to show details](#) ▼

All CB plugin "CB Footer" database is up to date.

All CB plugin "CB Query Field" database is up to date.

CB plugin "CB Reconfirm Email" database structure differences:

Table #__comprofiler_plugin_emails Column from NULL attribute is YES instead of NO

Table #__comprofiler_plugin_emails Column to NULL attribute is YES instead of NO

Table #__comprofiler_plugin_emails Column code NULL attribute is YES instead of NO

Table #__comprofiler_plugin_emails Column status NULL attribute is YES instead of NO

Table #__comprofiler_plugin_emails Collation is utf8mb4_0900_ai_ci instead of utf8mb4_unicode_ci

The CB plugin "CB Reconfirm Email" database structure differences can be fixed (adjusted) by clicking here: [Click here to fix \(adjust\) all CB plugin "CB Reconfirm Email" database differences listed above](#) (you can also [Click here to preview fixing \(adjusting\) queries in a dry-run](#)), but **in all cases you need to backup database first** as this adjustment is changing the database structure to match the needed structure for the installed version.
[Click here to show details](#) ▼

CB plugin "CB Profile Update Logger" database structure differences:

Table #__comprofiler_plug_pulogger Collation is utf8mb4_0900_ai_ci instead of utf8mb4_unicode_ci

The CB plugin "CB Profile Update Logger" database structure differences can be fixed (adjusted) by clicking here: [Click here to fix \(adjust\) all CB plugin "CB Profile Update Logger" database differences listed above](#) (you can also [Click here to preview fixing \(adjusting\) queries in a dry-run](#)), but **in all cases you need to backup database first** as this adjustment is changing the database structure to match the needed structure for the installed version.
[Click here to show details](#) ▼

All CB plugin "CB Conditional" database is up to date.

CB plugin "CB Paid Subscriptions" database structure differences:

Table #__cbsubs_history Column field_changed NULL attribute is YES instead of NO

Table #__cbsubs_history Column change_type NULL attribute is YES instead of NO

Table #__cbsubs_history Column message Collation is utf8mb4_0900_ai_ci instead of utf8mb4_unicode_ci

Table #__cbsubs_notifications Column payment_method Collation is utf8mb4_0900_ai_ci instead of utf8mb4_unicode_ci

Table #__cbsubs_payment_baskets Column payment_status NULL attribute is YES instead of NO

Table #__cbsubs_payment_baskets Column scheduler_state NULL attribute is YES instead of NO

Table #__cbsubs_payment_baskets Column payment_method Collation is utf8mb4_0900_ai_ci instead of utf8mb4_unicode_ci

Table #__cbsubs_payment_items Column item_type NULL attribute is YES instead of NO

Table #__cbsubs_payment_items Column reason NULL attribute is YES instead of NO

Table #__cbsubs_payment_items Column bonustimeofreactivation NULL attribute is YES instead of NO

Table #__cbsubs_payment_items Column item_type Collation is utf8mb4_0900_ai_ci instead of utf8mb4_unicode_ci

Table #__cbsubs_payment_totalizers Column totalizer_type NULL attribute is YES instead of NO

Table #__cbsubs_payment_totalizers Column totalizer_type Collation is utf8mb4_0900_ai_ci instead of utf8mb4_unicode_ci

Table #__cbsubs_payments Column payment_method Collation is utf8mb4_0900_ai_ci instead of utf8mb4_unicode_ci

Table #__cbsubs_plans Column item_type NULL attribute is YES instead of NO

Table #__cbsubs_plans Column name NULL attribute is YES instead of NO

Table #__cbsubs_plans Column alias NULL attribute is YES instead of NO

Table #__cbsubs_plans Column description NULL attribute is YES instead of NO

Table #__cbsubs_plans Column item_text NULL attribute is YES instead of NO

Table #__cbsubs_plans Column item_alias NULL attribute is YES instead of NO

Table #__cbsubs_plans Column currency NULL attribute is YES instead of NO

Table #__cbsubs_plans Column validity NULL attribute is YES instead of NO

Table #__cbsubs_plans Column calstart NULL attribute is YES instead of NO

Table #__cbsubs_plans Column bonustime NULL attribute is YES instead of NO

Table #__cbsubs_plans Column bonustimeofreactivation NULL attribute is YES instead of NO

Table #__cbsubs_plans Column graceperiod NULL attribute is YES instead of NO

Table #__cbsubs_plans Column renewableinadvanceby NULL attribute is YES instead of NO

Table #__cbsubs_plans Column reactivableafter NULL attribute is YES instead of NO

Table #__cbsubs_plans Column reactivablebefore NULL attribute is YES instead of NO

Table #__cbsubs_plans Column first_validity NULL attribute is YES instead of NO

Table #__cbsubs_plans Column first_calstart NULL attribute is YES instead of NO

Table #__cbsubs_plans Column hideregistrationfields NULL attribute is YES instead of NO

Table #__cbsubs_plans Column thankoutextcompleted NULL attribute is YES instead of NO

Table #__cbsubs_plans Column thankoutextpending NULL attribute is YES instead of NO

Table #__cbsubs_plans Column thankyouemailsubject NULL attribute is YES instead of NO

Table #__cbsubs_plans Column thankyouemailbody NULL attribute is YES instead of NO

Table #__cbsubs_plans Column thankyouemailcc NULL attribute is YES instead of NO

Table #__cbsubs_plans Column thankyouemailbcc NULL attribute is YES instead of NO

Table #__cbsubs_plans Column thankyouemailattachments NULL attribute is YES instead of NO

Table #__cbsubs_plans Column pendingfirstemailsubject NULL attribute is YES instead of NO

Table #__cbsubs_plans Column pendingfirstemailbody NULL attribute is YES instead of NO

Table #__cbsubs_plans Column pendingfirstemailcc NULL attribute is YES instead of NO

Table #__cbsubs_plans Column pendingfirstemailbcc NULL attribute is YES instead of NO

Table #__cbsubs_plans Column pendingfirstemailattachments NULL attribute is YES instead of NO

Table #__cbsubs_plans Column renewalemailsubject NULL attribute is YES instead of NO

Table #__cbsubs_plans Column renewalemailbody NULL attribute is YES instead of NO

Table #__cbsubs_plans Column renewalemailcc NULL attribute is YES instead of NO

Table #__cbsubs_plans Column renewalemailbcc NULL attribute is YES instead of NO

Table #__cbsubs_plans Column renewalemailattachments NULL attribute is YES instead of NO

Table #__cbsubs_plans Column pendingrenewalemailsubject NULL attribute is YES instead of NO

Table #__cbsubs_plans Column pendingrenewalemailbody NULL attribute is YES instead of NO

Table #__cbsubs_plans Column pendingrenewalemailcc NULL attribute is YES instead of NO

Table #__cbsubs_plans Column pendingrenewalemailbcc NULL attribute is YES instead of NO

Table #__cbsubs_plans Column pendingrenewalemailattachments NULL attribute is YES instead of NO

Table #__cbsubs_plans Column autorenewalemailsubject NULL attribute is YES instead of NO

Table #__cbsubs_plans Column autorenewalemailbody NULL attribute is YES instead of NO

Table #__cbsubs_plans Column autorenewalemailcc NULL attribute is YES instead of NO

Table #__cbsubs_plans Column autorenewalemailbcc NULL attribute is YES instead of NO

Table #__cbsubs_plans Column autorenewalemailattachments NULL attribute is YES instead of NO

Table #__cbsubs_plans Column expirationemailsubject NULL attribute is YES instead of NO

Table #__cbsubs_plans Column expirationemailbody NULL attribute is YES instead of NO

Table #__cbsubs_plans Column expirationemailcc NULL attribute is YES instead of NO

Table #__cbsubs_plans Column expirationemailbcc NULL attribute is YES instead of NO

Table #__cbsubs_plans Column expirationemailattachments NULL attribute is YES instead of NO

Table #__cbsubs_plans Column cancelledemailsubject NULL attribute is YES instead of NO

Table #__cbsubs_plans Column cancelledemailbody NULL attribute is YES instead of NO

Table #__cbsubs_plans Column cancelledemailcc NULL attribute is YES instead of NO

Table #__cbsubs_plans Column cancelledemailbcc NULL attribute is YES instead of NO

Table #__cbsubs_plans Column cancelledemailattachments NULL attribute is YES instead of NO

Table #__cbsubs_plans Column firstloginurl NULL attribute is YES instead of NO

Table #__cbsubs_plans Column eachloginurl NULL attribute is YES instead of NO

Table #__cbsubs_plans Column template NULL attribute is YES instead of NO

Table #__cbsubs_plans Column cssclass NULL attribute is YES instead of NO

Table #__cbsubs_plans Column reg_conds_plans_required NULL attribute is YES instead of NO

Table #__cbsubs_plans Column reg_conds_plans_not_required NULL attribute is YES instead of NO

Table #__cbsubs_plans Column reg_conds_plans_disallowing NULL attribute is YES instead of NO

Table #__cbsubs_plans Column reg_conds_fields_required NULL attribute is YES instead of NO

Table #__cbsubs_plans Column reg_conds_fields_not_required NULL attribute is YES instead of NO

Table #__cbsubs_plans Column reg_conds_fields_disallowing NULL attribute is YES instead of NO

Table #__cbsubs_plans Column reg_conds_cbfield_1_operator NULL attribute is YES instead of NO

Table #__cbsubs_plans Column reg_conds_value_1 NULL attribute is YES instead of NO

Table #__cbsubs_plans Column cond_1_operator NULL attribute is YES instead of NO

Table #__cbsubs_plans Column cond_1_plans_required NULL attribute is YES instead of NO

Table #__cbsubs_plans Column cond_1_plans_status NULL attribute is YES instead of NO

Table #__cbsubs_plans Column cond_1_basket_currencies NULL attribute is YES instead of NO

Table #__cbsubs_plans Column cond_1_basket_gatewayaccounts NULL attribute is YES instead of NO
Table #__cbsubs_plans Column cond_1_basket_payment_methods NULL attribute is YES instead of NO
Table #__cbsubs_plans Column cond_1_basket_payment_types NULL attribute is YES instead of NO
Table #__cbsubs_plans Column cond_1_basket_address_country_codes NULL attribute is YES instead of NO
Table #__cbsubs_plans Column cond_1_date_1 NULL attribute is YES instead of NO
Table #__cbsubs_plans Column cond_1_value_1 NULL attribute is YES instead of NO
Table #__cbsubs_plans Column cond_1_dates_diff_a NULL attribute is YES instead of NO
Table #__cbsubs_plans Column cond_1_dates_diff_b NULL attribute is YES instead of NO
Table #__cbsubs_plans Column cond_1_date_2 NULL attribute is YES instead of NO
Table #__cbsubs_plans Column cond_1_value_2 NULL attribute is YES instead of NO
Table #__cbsubs_plans Column cond_2_operator NULL attribute is YES instead of NO
Table #__cbsubs_plans Column cond_2_plans_required NULL attribute is YES instead of NO
Table #__cbsubs_plans Column cond_2_plans_status NULL attribute is YES instead of NO
Table #__cbsubs_plans Column cond_2_basket_currencies NULL attribute is YES instead of NO
Table #__cbsubs_plans Column cond_2_basket_gatewayaccounts NULL attribute is YES instead of NO
Table #__cbsubs_plans Column cond_2_basket_payment_methods NULL attribute is YES instead of NO
Table #__cbsubs_plans Column cond_2_basket_payment_types NULL attribute is YES instead of NO
Table #__cbsubs_plans Column cond_2_basket_address_country_codes NULL attribute is YES instead of NO
Table #__cbsubs_plans Column cond_2_date_1 NULL attribute is YES instead of NO
Table #__cbsubs_plans Column cond_2_value_1 NULL attribute is YES instead of NO
Table #__cbsubs_plans Column cond_2_dates_diff_a NULL attribute is YES instead of NO
Table #__cbsubs_plans Column cond_2_dates_diff_b NULL attribute is YES instead of NO
Table #__cbsubs_plans Column cond_2_date_2 NULL attribute is YES instead of NO
Table #__cbsubs_plans Column cond_2_value_2 NULL attribute is YES instead of NO
Table #__cbsubs_plans Column upgrade_conds_plans_required NULL attribute is YES instead of NO
Table #__cbsubs_plans Column upgrade_conds_plans_disallowing NULL attribute is YES instead of NO
Table #__cbsubs_plans Column integrations NULL attribute is YES instead of NO
Table #__cbsubs_plans Column params NULL attribute is YES instead of NO
Table #__cbsubs_plans Column item_type Collation is utf8mb4_0900_ai_ci instead of utf8mb4_unicode_ci
Table #__cbsubs_subscriptions Column status NULL attribute is YES instead of NO
Table #__cbsubs_subscriptions Column previous_status NULL attribute is YES instead of NO
Table #__cbsubs_subscriptions Column integrations NULL attribute is YES instead of NO
Table #__cbsubs_subscriptions Collation is utf8mb4_0900_ai_ci instead of utf8mb4_unicode_ci

The CB plugin "CB Paid Subscriptions" database structure differences can be fixed (adjusted) by clicking here: [Click here to fix \(adjust\) all CB plugin "CB Paid Subscriptions" database differences listed above](#) (you can also [Click here to preview fixing \(adjusting\) queries in a dry-run](#)), but **in all cases you need to backup database first** as this adjustment is changing the database structure to match the needed structure for the installed version.
[Click here to show details](#) ▼

CB plugin "CB Auto Actions" database structure differences:

Table #__comprofiler_plugin_autoactions Column system NULL attribute is YES instead of NO
Table #__comprofiler_plugin_autoactions Column type NULL attribute is YES instead of NO
Table #__comprofiler_plugin_autoactions Column trigger NULL attribute is YES instead of NO
Table #__comprofiler_plugin_autoactions Column object NULL attribute is YES instead of NO
Table #__comprofiler_plugin_autoactions Collation is utf8mb4_0900_ai_ci instead of utf8mb4_unicode_ci
Table #__comprofiler_plugin_autoactions_uses Collation is utf8mb4_0900_ai_ci instead of utf8mb4_unicode_ci
Table #__comprofiler_plugin_autoactions_batches Column title NULL attribute is YES instead of NO
Table #__comprofiler_plugin_autoactions_batches Column actions NULL attribute is YES instead of NO
Table #__comprofiler_plugin_autoactions_batches Collation is utf8mb4_0900_ai_ci instead of utf8mb4_unicode_ci

The CB plugin "CB Auto Actions" database structure differences can be fixed (adjusted) by clicking here: [Click here to fix \(adjust\) all CB plugin "CB Auto Actions" database differences listed above](#) (you can also [Click here to preview fixing \(adjusting\) queries in a dry-run](#)), but **in all cases you need to backup database first** as this adjustment is changing the database structure to match the needed structure for the installed version.
[Click here to show details](#) ▼

All CB plugin "CB Code Field" database is up to date.

All CB plugin "CB Field Groups" database is up to date.

CB plugin "Invitations" database structure differences:

Table #__comprofiler_plugin_invites Column to NULL attribute is YES instead of NO

Table #__comprofiler_plugin_invites Collation is utf8mb4_0900_ai_ci instead of utf8mb4_unicode_ci

The CB plugin "Invitations" database structure differences can be fixed (adjusted) by clicking here: [Click here to fix \(adjust\) all CB plugin "Invitations" database differences listed above](#) (you can also [Click here to preview fixing \(adjusting\) queries in a dry-run](#)), but **in all cases you need to backup database first** as this adjustment is changing the database structure to match the needed structure for the installed version.

[Click here to show details](#) ▼

All CB plugin "CBSubs Plan Image" database is up to date.

All CB plugin "HikaShop CB Plugin" database is up to date.

All CB plugin "Stripe" database is up to date.

CB plugin "CBSubs Family Plans" database structure differences:

Table #__cbsubs_family Column to NULL attribute is YES instead of NO

Table #__cbsubs_family Column to Collation is utf8mb4_0900_ai_ci instead of utf8mb4_unicode_ci

The CB plugin "CBSubs Family Plans" database structure differences can be fixed (adjusted) by clicking here: [Click here to fix \(adjust\) all CB plugin "CBSubs Family Plans" database differences listed above](#) (you can also [Click here to preview fixing \(adjusting\) queries in a dry-run](#)), but **in all cases you need to backup database first** as this adjustment is changing the database structure to match the needed structure for the installed version.

[Click here to show details](#) ▼

CB plugins database checks done. If all lines above are in green, test completed successfully. Otherwise, please take corrective measures proposed in red.